



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Army Ground Vehicle Use of CFD and Challenges

Scott Shurin 586-282-8868 scott.shurin@us.army.mil

UNCLASSIFIED: Distribution A: Approved for public release

maintaining the data needed, and including suggestions for reducin	completing and reviewing the collect g this burden, to Washington Headq ould be aware that notwithstanding	ction of information. Send commer juarters Services, Directorate for Ir	nts regarding this burden estimation Operations and Rep	ate or any other aspect ports, 1215 Jefferson D	existing data sources, gathering and of this collection of information, avis Highway, Suite 1204, Arlington with a collection of information if it
1. REPORT DATE 2. REPORT TYPE N/A			3. DATES COVERED		
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER			
Army Ground Vel	d Challenges	5b. GRANT NUMBER			
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
Scott Shurin				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				8. PERFORMING ORGANIZATION REPORT NUMBER 20425RC	
9. SPONSORING/MONITO	AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S) TACOM/TARDEC			
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 20425RC	
12. DISTRIBUTION/AVAI Approved for pub	ILABILITY STATEMENT lic release, distribut	ion unlimited			
13. SUPPLEMENTARY No.	otes ment contains color	images.			
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION	18. NUMBER	19a. NAME OF	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	OF ABSTRACT SAR	OF PAGES 17	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188





- TARDEC/CASSI Introduction
- Simulation in the Army
- General Challenges
- Types of Analyses
- Working with the Government



TARDEC - Introduction



- Tank Automotive Research, Development and Engineering Center (TARDEC)
 - Develops, integrates, and sustains the technology for all manned and unmanned DOD ground systems
 - The main Research and Development Engineering (R&DE) organization for ground systems integration and technology
- Consists of Three Major Business Groups:
 - Engineering Business Group
 - Product Development Business Group
 - Research Business Group
 - Includes CASSI (Next Slide)



CASSI ANALYTICS


Concepts

Analysis

Systems

Simulation

ntegration





Simulation in the Army



- Why the Army Needs Simulation
 - Pre Specification Work
 - Need to ensure specifications are technically feasible
 - Evaluation of Proposals and Oversight of Supplier Efforts
 - 'Honest Broker' proposed solutions should be evaluated on a level playing field
 - Verify supplier analyses are reasonable
 - Rapid Response for Field Fixes
 - Determine how new equipment will affect vehicle performance
 - Provide initial assessment before starting formal contract process for proposed upgrades
 - Direct R&DE efforts through cooperation with industry
 - Form partnerships to direct development efforts in areas of interest to the Army



General Challenges





- Government does not always own the technical data package
 - May be difficult to get the CAD data
 - Vehicle may have to be scanned
 - System and component performance often not available
 - Flow rates, temperatures, heat rejection information may need to be estimated or measured experimentally
 - Contractors won't or can't share material thermal properties
 - Composite armor stacks
 - Anisotropic conduction
- Data management
 - Long program life cycle means that data needs to be stored and organized for long periods of time
 - Need to tracking a large number of different vehicle configurations and equipment lists
- Data exchange between software packages



Interior Thermal Analysis








- Harsh environment
 - 30 °F is 1% day in Iraq
 - 125 °F in summer
 - In-gear creeping speed
- Up-armored vehicles = heavy
 - Large thermal mass
 - High engine loads = high heat loads
- Open Hatch
- Use of Commercial Equipment
 - Lower temp spec ~95 °F
- Interested in Cool down Time

Challenge: Perform full transient analysis




Insert Commercial Equipment





Example of a capability add-on (Equip Pack 2)



Prediction of equipment temperatures


Challenges:

- When will electronics have a thermal problem?
- Air temperature around equipment or surface temps?
- What are component heat rejection rates/ duty cycles?



Fire Suppression Modeling





Interaction of flame with suppressing agent


- Goal: Extinguish flame in a fraction of a second
- Place extinguisher bottles into crew area at optimal point
- Challenges:
 - Very deep physics
 - Reacting flows
 - Determine effect on human occupants




Blast Modeling




- Goal: Predict behavior of structure during mine blast event
 - Improve vehicle survivability
- Challenges:
 - Modeling soil mechanics
 - Fluid-structure interaction with highly deforming mesh
 - Modeling detonation waves



UNCLASSIFIED









TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Grille Optimization







- Multidisciplinary ballistic grille optimizations
- Challenges:
 - Trade-off between ballistics protection, weight, and airflow performance
 - Large amount of cooling airflow through a small area results in high fan power or engine performance degradation


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.




Infrared Signature Modeling



- Delta apparent temperature from the background
- A vehicle does not have a single thermal "signature"
 - Normally plot metrics as histogram
 - Multiple view angles, times, and backgrounds
- Challenge: Calculating updated convection coefficients every 15 minutes using CFD








Thermal Budgeting






Solar load that strikes exterior:

- ½ is convected away by wind
- ¼ is radiated away
- ¼ is conducted to interior

Solar load that is conducted to interior:

- 2/3 is convected into air
- 1/3 is radiated toward walls



Challenge: Identifying best "Bang for the buck" technologies to minimize HVAC size

UNCLASSIFIED

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Other Ground Vehicle CFD Analyses



Specialized Issues

- Exhaust plume modeling
- Amphibious water crossing / fording
- Acoustics signature / silent watch
- Gun tube heating

Automotive Issues

- Under hood Cooling
- HVAC System Design
- Defrost
- Fuel Economy



Working With The Government




- Broad Agency Announcement
 - Certain basic or applied R&D not for any particular vehicle
- Education Partnership Agreement
 - Encourage and enhance study in scientific disciplines at all educational levels
- Ground Vehicle Gateway (GVG)
 - Online portal that will help forward inquiries or proposals directly to NAC or TARDEC researchers
 - https://tardec.groundvehiclegateway.com
- National Automotive Council
 - Army focal point for dual-use automotive/ ground vehicle technology development
- Small Business Innovative Research Program (SBIR)
 - Tap into the small business community's innovativeness and creativity to help meet government R&D objectives
 - Solicitations posted at: http://www.acq.osd.mil/osbp/sbir/



Example: Working w/ Government

- Need: Predict solider thermal fatigue in CFD models
- Goal: Dual government/industry use
- CRADA (Cooperative Research and Development Agreement)
 - GM shares experience and "lessons learned"
 - TARDEC oversees implementation and pays development
 - Small business entity develops code and sells commercially



Soldier Thermal Fatigue Model

- Implement Berkley Human Comfort Model
- Develop soldier models w/ battle gear
- Metabolic heat rates by role (driver, gunner, commander)
- "Comfort" index generated from local skin temps and body core temp



Conclusion



- TARDEC is actively involved in using CFD in a variety of areas
- TARDEC faces many of the same challenges as the automotive industry
- Partnerships with industry play a large role in advancing technology